

All screen pictures in this catalogue are simulated.  
iPods, iPhones, Android smartphones or any other accessories shown in this Catalogue are not supplied,  
and must be purchased separately.

- Wi-Fi and the Wi-Fi CERTIFIED logo are trademarks of Wi-Fi Alliance.
- The Bluetooth word mark and logos are registered trademarks owned by the Bluetooth SIG, Inc. and any use of such marks by JVC KENWOOD Corporation is under license. Other trademarks and trade names are those of their respective owners.
- "Made for iPod", and "Made for iPhone" mean that an electronic accessory has been designed to connect specifically to iPod, or iPhone, respectively, and has been certified by the developer to meet Apple performance standards.  
Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards.  
Please note that the use of this accessory with iPod, or iPhone may affect wireless performance.  
iPhone, iPod, iPod classic, iPod nano, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries. Lightning is a trademark of Apple Inc.
- Use of the Apple CarPlay logo means that a vehicle user interface meets Apple performance standards.  
Apple is not responsible for the operation of this vehicle or its compliance with safety and regulatory standards.  
Please note that the use of this product with iPhone, iPod, or iPad may affect wireless performance.  
Apple CarPlay is a trademark of Apple Inc.
- Android, Android Auto, Google Play and other marks are trademarks of Google LLC.
- DivX, DivX Certified and associated logos are trademarks of DivX, LLC and are used under license.
- The YouTube logo is a registered trademark of Google LLC.

 The products with these logos are conformed to the High-Resolution Audio standard defined by Japan Audio Society.  
These logos are used under license from Japan Audio Society.  
LDAC and LDAC logo are trademarks of Sony Corporation.

Design and specifications are subject to change without notice.  
The photos of the products featured in this catalogue may not be of actual products that are available in your country.

Copyright © 2020, JVC KENWOOD Corporation. All Rights Reserved.

# JVC

JVC KENWOOD Australia Pty. Ltd.

Talavera Business Park Building A,  
4 Talavera Road, North Ryde NSW 2113,  
Australia Locked Bag 2077 North Ryde NSW 1670



<http://au.jvc.com/car/>



<http://nz.jvc.com/car/>

"JVC" is a brand of JVC KENWOOD Corporation.



# DIVE INTO EXTRAORDINARY

Hi-Resolution Audio™, Apple CarPlay™, Android Auto™, Wi-Fi™

COLLECTION 2020



# JVC

**MOBILE**  
ENTERTAINMENT

# Extraordinary JVC at a Glance.



## KW-M960BW

6.8 inch WVGA  
Clear-coated Resistive Display



## Closer to Musical Truth

We, JVC have been creating high quality Audio & Visual product since 1927. Especially for the sound, we state "Closer to Musical Truth" as our slogan, and continue research & development of various technology. Also, our exploration led to the creation of our own recording studio, called "Victor Studio". Equipped with our cutting edge technologies, Victor Studio has been the cradle of various audio technology developments and recording innovations. As a result, the studio has published many sound masterpieces, and grown into a trusted and highly professional recording studio in Japan. Our products have continually lead the way throughout the history of our development. Everything we do is in passionate pursuit of truer, richer sound.




### High Resolution Audio Playback

High Resolution Audio file (96kHz/24bit or higher) playback via USB. And also playable via Bluetooth by using LDAC technology\*. LDAC is a highly efficient file compression technology and makes it possible to transfer audio files via Bluetooth without down conversion.

\*Your smartphone / audio device also needs to support LDAC.

### Volume Link EQ

Boosts specific frequencies in the audio signal to compensate for the impact of road noise.




### ENHANCED DIGITAL SOUND TECHNOLOGY


### K2 Technology

K2 is a reverse compression technology to reproduce original mastering sound quality from a compressed file format. For example, the maximum sampling frequency of CD format is 44.1kHz. But K2 can up-convert the sampling rate up to 192 kHz, equivalent with non compressed master file. And K2 also can restore high-frequency range above 20kHz which is lost during CD formatting.

CD Format



Waveform After Restoration with K2



### Sound Lift


Virtually raise the sound position heard from the speakers by adjusting the sound frequencies.



\*LDAC and LDAC logo are trademarks of Sony Corporation.



# FEEL FREE – The Ultimate Comfort



## Apple CarPlay via Wi-Fi & USB

A smarter, safer and more fun way to use your iPhone in the car. Apple CarPlay gives iPhone users an intuitive way to make calls, use Maps, listen to music with just a word or a touch. With the latest iOS version (iOS 12.0 and higher), 3rd party navigation apps like Google Maps™ are supported.


Some features, applications, and services are not available in all areas. For details, see : [www.apple.com/ios/feature-availability/#applecarplay-applecarplay](http://www.apple.com/ios/feature-availability/#applecarplay-applecarplay)



## USB Mirroring for iPhone & Android

Seamlessly display your iPhone and Android phone screen on the JVC screen via USB. 2-Way touch control can be supported for Android phone.

\*"Mirroring for JVC" app required. Download link will show up on your smartphone screen when you connect via USB.



## Android Auto via USB

Android Auto was designed with safety in mind. With a simple and intuitive interface and powerful voice actions, it's designed to minimize distraction so that you can stay focused on the road. With the latest ANDROID OS version (PIE and higher), Google Maps™ is also supported.

Some Features, applications, and services are not available in all areas. For details, see : [www/android.com/auto](http://www/android.com/auto)



## Wireless Mirroring for Android Phone


Seamlessly display your Android phone on the JVC screen over Wi-Fi. 2-Way touch control can be supported for selected Android smartphones.

# Dynamic GUI

## Designed to Excite Your Senses with Every Look and Touch.

Our new interface improves your enjoyment of entertainment, access to information and ease of operation. It is an invitation to explore the full potential of JVC. Split windows provide at-a-glance access to more information, making interaction and operation easier and more enjoyable.

### Big Widget



Flying Text





Photo Slide Show

### Split Widget




Compass & Photo




Clock & Album Art

### Gesture Touch Control


Perform a variety of other actions with the intuitive touch controls.



Switch widget types with a two finger swipe



Volume control with circular motion



Music control with up/down/right/left motion

## Other Functions




### JVC Streaming DJ

Connect up to 5 Bluetooth devices simultaneously, allowing you and your friends to take turns streaming music like a DJ. Move to the groove and get the party pumping to the max.



### 2-Phone Hands-free Ready

You can connect two phones full time via Bluetooth, with secure and simple pairing. Calls to either phone can be received by a push of a key on the receiver.



### Playable Video & Audio Formats

MPEG4 Playback up to 1920 x 1080 pixels

| Video Codec | Playable up to | Audio Codec | Playable up to       |
|-------------|----------------|-------------|----------------------|
| MPEG4       | 1920 x 1080p   | FLAC        | 16-192kHz / 16/24bit |
| H.264       | 1920 x 1080p   | WAV         | 16-192kHz / 16/24bit |
| MKV         | 1920 x 1080p   |             |                      |
| WMV         | 1920 x 1080p   |             |                      |

USB sources are available on rear monitor via video output.



### Convenient Dual USB

Max 1.5A quick charge for selected Android, 1.0A charge for iPhone.



### Direct OEM Steering Remote Interface

See page 7



### 3 Camera Inputs

Parking Guideline for Rear View Camera



### High Voltage 5.0V/3 Preouts

# Feel the Connectivity





**KW-M560BT**  
6.8 inch WVGA Capacitive Display




**KW-M745DBT**  
6.8 inch WVGA Capacitive Display

# Enhance Usability with Your Smartphone

## Apple CarPlay via USB



## Android Auto via USB



## USB Mirroring for Android via USB



\*\*Mirroring OA for JVC™ app required.  
Download link will show up on your smartphone screen  
when you connect via USB.



\*DAB antenna is not included

## Common Features for KW-M560BT / KW-M745DBT

**Short Body Design**  
Only 75mm of depth.  
Easy installation in your car.

**Direct OEM Steering Remote Interface**  
See page 7

**Various Sound Adjustment**  
13-Band EQ, Digital Time Alignment,  
X'over, Bass boost, Loudness, etc.

**Digital Time Alignment**  
Virtually adjust your listening position  
to the center of the car and produce a  
precise sound environment.

**6.8 inch Capacitive Display**  
Clear glass display with swipe functionality

**Playable Video & Audio Formats**  
MPEG4 Playback up to 1920 x 1080 pixels

| Video Codec | Playable up to | Audio Codec | Playable up to       |
|-------------|----------------|-------------|----------------------|
| MPEG4       | 1920 x 1080p   | FLAC        | 16-192kHz / 16/24bit |
| H.264       | 1920 x 1080p   | WAV         | 16-192kHz / 16/24bit |
| MKV         | 1920 x 1080p   |             |                      |
| WMV         | 1920 x 1080p   |             |                      |

USB sources are available on rear monitor via video output.

## Direct OEM Steering Remote


Steering Connector Information for Japanese and Korean Vehicles

| TOYOTA (20P)   | TOYOTA (28P)   | TOYOTA (26P)   | TOYOTA (10P+6P)  | HONDA (20P-A)  | HONDA (20P-B)  | HONDA (24P-A)  | HONDA (24P-B)  | NISSAN (16P-A)   | NISSAN (20P)   |
|--|--|--|--|--|--|--|--|--|--|
|  |  |  |  |  |  |  |  |  |  |
| Input 1: Green<br>Input 2: Purple<br>ST REMOTE GND: Gray | Input 1: Green<br>Input 2: Purple<br>ST REMOTE GND: Gray | Input 1: Green<br>Input 2: Purple<br>ST REMOTE GND: Gray | Input 1: Green<br>Input 2: Purple<br>ST REMOTE GND: Gray | Input 1: Green<br>Input 2: NC<br>ST REMOTE GND: Gray | Input 1: Green<br>Input 2: NC<br>ST REMOTE GND: Gray     | Input 1: Green<br>Input 2: NC<br>ST REMOTE GND: Gray | Input 1: Green<br>Input 2: Purple<br>ST REMOTE GND: Gray | Input 1: Green<br>Input 2: Purple<br>ST REMOTE GND: Gray | Input 1: Green<br>Input 2: Purple<br>ST REMOTE GND: Gray |
| NISSAN (16P-B)   | MITSUBISHI (20P)   | MAZDA (24P)  | SUBARU (20P)   | SUBARU (8P)  | SUZUKI (20P)   | ISUZU (16P)  | HYUNDAI / KIA (24P-A)                                    | HYUNDAI / KIA (24P-B)                                    |  |
|  |  |  |  |  |  |  |  |  |  |
| Input 1: Green<br>Input 2: Purple<br>ST REMOTE GND: Gray | Input 1: Green<br>Input 2: NC<br>ST REMOTE GND: Gray     | Input 1: Green<br>Input 2: NC<br>ST REMOTE GND: Gray     | Input 1: Green<br>Input 2: NC<br>ST REMOTE GND: Gray     | Input 1: Green<br>Input 2: NC<br>ST REMOTE GND: Gray | Input 1: Green<br>Input 2: Purple<br>ST REMOTE GND: Gray | Input 1: Green<br>Input 2: NC<br>ST REMOTE GND: Gray | Input 1: Green<br>Input 2: NC<br>ST REMOTE GND: Gray     | Input 1: Green<br>Input 2: NC<br>ST REMOTE GND: Gray     |  |

The information for each vehicle above was investigated by JVC KENWOOD Asia Headquarters, and may not cover all of the connector types. Please contact your local JVC dealers for details.


### Location of Steering Remote Connector

If the vehicle is equipped with an OEM steering remote control, the steering remote connector is commonly located in the console.




### How to view Steering Remote Connector

All steering wheel remote controls above are vehicle side connectors and drawn from the side. (view indicated by arrow)



### Steering Remote Cable (included in the unit)

- 1) Look for a steering remote connector that is the same shape as in the image above in the console.
- 2) Connect "Input 1", "Input 2" and "ST REMOTE GND" to the pins shown in matching colors on the above list of connectors.



\*KW-M745DBT, KW-M560BT: Remote cable has already connected to the receiver.

## Customize Sound to Your Way

## Enjoy Entertainment with Various Video Formats



**KW-V250BT**  
6.2 inch WVGA Clear-coated  
Resistive Display



**KW-M150BT**  
6.8 inch WVGA Capacitive Display



**Function / Favorite key**  
2-way functional key  
Press once: Shows up source shortcut keys  
Hold: Directly jump to your favorite source

### Playable Video & Audio Formats

#### KW-V250BT

| Video Codec       | Playable up to | Audio Codec | Playable up to  |
|-------------------|----------------|-------------|-----------------|
| MPEG1             | 720 x 576p     | FLAC        | 96kHz / 24bit   |
| MPEG2             | 720 x 576p     | WAV         | 44.1kHz / 16bit |
| DivX <sup>®</sup> | 720 x 576p     |             |                 |

MPEG4 Playback up to 1920 x 1080 pixels



#### KW-M150BT

| Video Codec | Playable up to | Audio Codec | Playable up to |
|-------------|----------------|-------------|----------------|
| MPEG4       | 1920 x 1080p   | FLAC        | 192kHz / 24bit |
| H.264       | 1920 x 1080p   | WAV         | 192kHz / 24bit |
| MKV         | 1920 x 1080p   |             |                |

USB sources are available on rear monitor via video output.



### K2 Technology

Up-convert and restore a currently playing sound source up to Hi-Res quality (Max.192kHz)



### Various Sound Adjustment

13-Band EQ, Digital Time Alignment, 3-Way X'over, Bass boost, Loudness, etc.



### Multi-Device Connection via BT

2-Phone Hands-free Ready  
5-BT devices for music streaming (JVC streaming DJ)



### "JVC Remote" App

Customize your audio settings, change sources from your smartphone.  
Free download from the App Store or Google Play.



### USB Mirroring for Android Smartphone

Seamlessly display your Android phone on the JVC screen via USB.  
Touch control is supported from both screen and smartphone.



\*Mirroring OB for JVC™ app required.  
Download link will show up on your smartphone screen when you connect via USB.



### Various Sound Adjustment

13-Band EQ, Digital Time Alignment, X'over, Bass boost, Loudness, etc.



### Bluetooth Connection

Hands Free Calling Ready



### Short Body Design

Only 75mm of depth.  
Easy installation in your car.

## MULTIMEDIA LINEUP COMPARISON



**KW-M960BW**



**KW-M745DBT**



**KW-M560BT**



**KW-V250BT**



**KW-M150BT**


|                         |  |                                  |                                     |                                     |                                 |                                     |
|-------------------------|--|----------------------------------|-------------------------------------|-------------------------------------|---------------------------------|-------------------------------------|
| DVD / CD Player         | —  | —                                | —                                   | Yes                                 | —                               |                                     |
| Built in DAB+ Radio     | —  | Yes                              | —                                   | —                                   | —                               |                                     |
| Display                 | Size / Number of Pixels                      | 6.8 inch WVGA<br>800 x 480       | 6.8 inch WVGA<br>800 x 480          | 6.8 inch WVGA<br>800 x 480          | 6.2 inch WVGA<br>800 x 480      |                                     |
|                         | Display Type                                 | Clear-coated Resistive           | Capacitive                          | Capacitive                          | Clear-coated Resistive          |                                     |
| Smartphone Integration  | Built-in Wi-Fi                               | Yes                              | —                                   | —                                   | —                               |                                     |
|                         | Apple CarPlay                                | Yes, via W-Fi & USB              | Yes, via USB                        | Yes, via USB                        | —                               |                                     |
|                         | Android Auto                                 | Yes, via USB                     | Yes, via USB                        | Yes, via USB                        | —                               |                                     |
|                         | Smartphone Mirroring                         | via Wi-Fi (for Android)<br>& USB | Yes, via USB<br>(for Android)       | Yes, via USB<br>(for Android)       | —                               | Yes, via USB<br>(for Android)       |
| Bluetooth Hands Free    | Bluetooth Hands Free                         | 2-Phone Hands Free               | Yes                                 | Yes                                 | 2-Phone Hands Free              |                                     |
|                         | Bluetooth Music Streaming                    | A2DP x 5 devices                 | Yes                                 | Yes                                 | A2DP x 5 devices                |                                     |
|                         | Hands Free Microphone                        | External Mic                     | External Mic                        | External Mic                        | External Mic                    |                                     |
| USB Interface           | USB Terminal                                 | x2 (Rear)                        | x1 (Rear)                           | x1 (Rear)                           | x1 (Front)                      |                                     |
|                         | Video Decoder                                | MPEG1,2,4 / H.264 /<br>MKV / WMV | MPEG1,2,4 / H.264 /<br>MKV / WMV    | MPEG1,2,4 / H.264 /<br>MKV / WMV    | MPEG1,2 / DivX                  | MPEG1,2,4 / H.264 /<br>MKV / WMV    |
|                         | Audio Decoder                                | MP3 / WMA / AAC /<br>WAV / FLAC  | MP3 / WMA / AAC /<br>WAV / FLAC     | MP3 / WMA / AAC /<br>WAV / FLAC     | MP3 / WMA / AAC /<br>WAV / FLAC | MP3 / WMA / AAC /<br>WAV / FLAC     |
| Audio                   | High-Resolution Audio                        | Yes                              | —                                   | —                                   | —                               |                                     |
|                         | LDAC/High-Resolution<br>Audio Wireless       | Yes                              | —                                   | —                                   | —                               |                                     |
|                         | K2 Technology                                | Yes                              | —                                   | —                                   | Yes                             |                                     |
| Peripheral Connectivity | Equalizer / Time Alignment /<br>3-Way X'Over | 13-Band EQ / Yes / Yes           | 13-Band EQ / Yes / — (2-Way)        | 13-Band EQ / Yes / — (2-Way)        | 13-Band EQ / Yes / Yes          | 13-Band EQ / Yes / —                |
|                         | Preout                                       | 5.0V / 3 Preouts                 | 4.0V / 2 Preouts<br>& Subwoofer out | 2.0V / 2 Preouts<br>& Subwoofer out | 4.0V / 3 Preouts                | 2.0V / 2 Preouts<br>& Subwoofer out |
|                         | Camera Input / AV Input /<br>Video Output    | x3 / x1 / x1                     | x1 / x1 / x1                        | x1 / x1 / x1                        | x1 / x1 / x1                    | x1 / x1 / x1                        |
| Peripheral Connectivity | Direct OEM Steering<br>Remote Control        | Yes                              | Yes                                 | Yes                                 | Yes                             | Yes                                 |
|                         | Escutcheon for 200mm Console                 | Yes                              | —                                   | —                                   | Yes                             | —                                   |
|                         | Navigation RGB Input                         | Yes                              | —                                   | —                                   | —                               | —                                   |

## REAR VIEW CAMERA



**KV-CM30**

Rear Camera with 1/4 inch  
Color CMOS Sensor  
Waterproof design / Effective 380,000 pixels  
Flexible mounting bracket included  
Dimensions (W x H x D):  
23.4mm x 23.4mm x 23.9mm  
Weight: 21g (Camera only)



## FIRMWARE UPDATE

### Car Electronics Support Information

Please check the below site and get the latest support information.

<http://www.jvc.net/cs/car/>



Search for a model name

Enter a model name:

Select an initial of model name:



# Design the Mood

## Brand New Cosmetic Design

We have changed from a center symbolic button into 2 function-isolated buttons on either side. Advanced accessibility responds to your sudden requests while driving.



### KD-X472BT

3.5V / 3 Preouts  
Made for iPhone | iPod



### KD-T912BT

3.5V / 3 Preouts  
Made for iPhone | iPod

## Sound Optimization



### K2 Technology

Reproduces the original master sound by up-converting frequency range.



### Digital Time Alignment

Virtually adjust your listening position to the center of the car and produce a precise sound environment.



### Sound Lift

Virtually raise the sound position heard from the speakers by adjusting the sound frequencies.



### Playable Audio Format

| Audio Codec | Playable up to  |
|-------------|-----------------|
| FLAC        | 96kHz / 24bit   |
| WAV         | 44.1kHz / 16bit |
| AAC         | 96kHz / 320kbps |
| MP3         | 48kHz / 320kbps |
| WMA         | 48kHz / 192kbps |

Create a signature interior ambience with multi-color illumination and enhanced accessibility to functions.



### KW-X830BT

2.5V / 2 Preouts  
200mm wide trim plate included  
Made for iPhone | iPod

## 2-Zone Multi-Color Illumination

You can mix the front panel illumination into 2 separate color zones. 50 presets are available for easy customization.



### KD-X272BT

2.5V / 1 Preout



### KW-R930BT

4.0V / 3 Preouts  
200mm wide trim plate included  
Made for iPhone | iPod



## Connectivity Features



### "JVC Remote" App

Customize your audio settings, change sources from your smartphone. Free download from the App Store or Google Play.  
KD-X272BT: Compatible with Android only



### JVC Streaming DJ

Stream music from up to 5 phones like a DJ.



### 2-Phone Hands-free Ready

Automatically switch the 2 paired phones for incoming calls.

## Enter the JVC Sound Experience

Maximize audio quality from multiple formats and from any speaker.



DIGITAL MEDIA RECEIVERS  
**KD-X172**  
2.5V / 1 Preout



CD RECEIVERS  
**KD-T401**  
2.5V / 1 Preout



### drvn EQ Preset

3 types of drvn EQ presets. Produces dynamic, deep sound for any speakers.

### Parametric EQ

Adjusts the center frequency, bandwidth and levels for detailed audio setting.



### Playable Audio Format

| Audio Codec | Playable up to  |
|-------------|-----------------|
| FLAC        | 48kHz / 16bit   |
| WAV         | 44.1kHz / 16bit |
| MP3         | 48kHz / 320kbps |
| WMA         | 48kHz / 192kbps |

|   | KD-X472BT  | KD-X272BT              | KD-T912BT                    | KW-R930BT                    | KW-X830BT                    | KD-X172                | KD-T401                |
|---|--|------------------------|------------------------------|------------------------------|------------------------------|------------------------|------------------------|
| CD Player                                 | —  | —                      | Yes                          | Yes                          | —                            | —                      | Yes                    |
| Key Illumination (Accent Key/Other Keys)  | Multi-Color / Multi-Color  | Red / Red              | Multi-Color / Multi-Color    | Multi-Color / Multi-Color    | Multi-Color / Multi-Color    | Red / Red              | Multi-Color / Red      |
| Built-in Bluetooth                        | 2-Phone Hands Free / JVC Streaming DJ (x5 devices) / JVC Remote App* |                        |                              |                              |                              |                        |                        |
| USB Terminal                              | x1<br>Made for iPhone   iPod   | x1                     | x1<br>Made for iPhone   iPod | x1<br>Made for iPhone   iPod | x1<br>Made for iPhone   iPod | x1                     | x1                     |
| Audio Decoder                             | WMA / MP3 / AAC / WAV / FLAC   | WMA / MP3 / WAV / FLAC | WMA / MP3 / AAC / WAV / FLAC | WMA / MP3 / AAC / WAV / FLAC | WMA / MP3 / AAC / WAV / FLAC | WMA / MP3 / WAV / FLAC | WMA / MP3 / WAV / FLAC |
| K2 Technology                             | Yes  | Yes                    | Yes                          | Yes                          | Yes                          | Yes                    | Yes                    |
| Equalizer / Time Alignment / 3-Way X'Over | 13-Band EQ / Yes / Yes   | 13-Band EQ / Yes / Yes | 13-Band EQ / Yes / Yes       | 13-Band EQ / Yes / Yes       | 13-Band EQ / Yes / Yes       | 3-Band EQ / — / —      | 13-Band EQ / — / —     |
| Audio Preout                              | 3.5V / 3 Preouts   | 2.5V / 1 Preout        | 3.5V / 3 Preouts             | 4.0V / 3 Preouts             | 2.5V / 2 Preouts             | 2.5V / 1 Preout        | 2.5V / 1 Preout        |
| Remote Controller                         | Included   | Included               | Included                     | Included                     | Optional                     | Included               | Included               |


\*KD-X272BT: Compatible with Android only



### Rear View Camera Input Support

The KD-X560BT is equipped with a rear view camera input. With an optional camera connected, you have increased safety while parking.

Just press the "CAMERA" key and the display switches to the view from the rear camera.



### For Your Perfect Sound

13-Band EQ for the perfect tune. 2.0V 3 Preouts. Ready to boost your system.



### Playable Video & Audio Formats

| Video Codec | Playable up to | Audio Codec | Playable up to  |
|-------------|----------------|-------------|-----------------|
| MPEG4       | 1920 x 1080p   | FLAC        | 96kHz / 24bit   |
| H.264       | 1920 x 1080p   | WAV         | 96kHz / 24bit   |
| MKV         | 1920 x 1080p   | MP3         | 48kHz / 320kbps |
|             |                | WMA         | 48kHz / 384kbps |
|             |                | AAC         | 48kHz / 448kbps |

USB sources are available on rear monitor via video output.

### KD-X560BT

1DIN Digital Media Receiver with 3.0" Color Display

Made for iPhone | iPod



### JVC REAR VIEW CAMERA KV-CM30

Rear Camera with 1/4 inch Color CMOS Sensor  
Waterproof design / Effective 380,000 pixels

| KD-X560BT                                 |                                     |
|---|-------------------------------------|
| Key Illumination (Accent Key/Other Keys)  | Blue                                |
| Built-in Bluetooth                        | Yes                                 |
| USB Terminal                              | x1                                  |
| Audio Decoder                             | WMA / MP3 / AAC / WAV / FLAC / OGG  |
| Video Decoder                             | MPEG1.2&4 / FLV / AVI / H.264 / MKV |
| Equalizer / Time Alignment / 3-Way X'Over | 13-Band EQ / Yes / — (2-Way)        |
| Audio Preout                              | 2.0V / 3 Preouts                    |
| Remote Controller                         | Optional                            |



The DR series is designed for any JVC head-unit to produce superior directivity and dynamic sound which we call "drvn sound".

### DR Full Range Speakers



### CS-DR693HP

6 x 9 inch 3-Way Speaker




#### Tech-Spec

|                           | CS-DR693HP           | CS-DR693             | CS-DR600C          | CS-DR162           | CS-DR520 / DR420             |
|---------------------------|----------------------|----------------------|--------------------|--------------------|------------------------------|
| Speaker Size              | 6 x 9 inch 3-Way     | 6 x 9 inch 3-Way     | 16cm Component     | 16cm 2-Way         | 13cm / 10cm 2-Way            |
| Peak Input Power          | 600W                 | 500W                 | 360W               | 300W               | 260W / 220W                  |
| RMS Input Power           | 100W                 | 70W                  | 60W                | 50W                | 40W / 35W                    |
| Frequency Response        | 50Hz - 18kHz         | 54Hz - 18kHz         | 76Hz - 24kHz       | 88Hz - 22kHz       | 85Hz - 25kHz / 114Hz - 23kHz |
| Sensitivity (dB/W at 1m)  | 85dB                 | 86dB                 | 88dB               | 88dB               | 88dB                         |
| Nominal Impedance         | 4 ohms               | 4 ohms               | 4 ohms             | 4 ohms             | 4 ohms                       |
| Tweeter Design            | 66mm Cone (Midrange) | 66mm Cone (Midrange) | 25mm Balanced Dome | 25mm Balanced Dome | 25mm Balanced Dome           |
| Woofer Magnet Composition | Ferrite              | Ferrite              | Ferrite            | Ferrite            | Ferrite                      |
| Mounting Depth            | 79mm                 | 79mm                 | 56.5mm             | 44mm               | 44.5mm / 45.5mm              |

### Full Cover Grill Design

Protects the woofer and tweeter from dust and damage.



### Horn Ring Sound Enhancer

Improves mid - higher frequency sound character and reproduces life-like sound.



### ø120mm Heavy-duty Magnet

Produces deep bass sound with higher clarity and response.

### PP + Mica Cone

Lightweight PP + Mica Cone material provides highly responsive, clear and undistorted sound.

# drvn to Deliver

Tough, aggressive design powerfully pumps out audio with JVC power and clarity.



**CS-DF620**  
16cm 2-Way Speaker

**CS-DF6920**  
6 x 9 inch 2-Way Speaker



### RECOMMENDATION

Combine with the KD-X172 or KD-T401 for a step up from factory installed sound radio systems.



**KD-X172 / KD-T401**  
2.5V / 1 Preout




### New Tweeter Panel

The specially designed holes allow 3-4kHz sound waves to easily pass through.



### Heavy-duty Magnet Circuit

ø65mm (16cm model), ø80mm (6x9model)  
Big Woofer Magnet



### Compact Design

for Vehicles with Shallow Design Requirements  
93% coverage (6 inch model) Great Factory Replacement. 8.1mm (16cm model) Tweeter Height



**CS-DF6920**



**CS-DF620**



**CS-ZX6940**



**CS-ZX640**

| Tech-Spec                 | CS-DF6920          | CS-DF620           | CS-ZX6940            | CS-ZX640             |
|---------------------------|--------------------|--------------------|----------------------|----------------------|
| Speaker Size              | 6 x 9 inch 2-Way   | 16cm 2-Way         | 6 x 9 inch 4-Way     | 16cm 4-Way           |
| Peak Input Power          | 400W               | 300W               | 550W                 | 350W                 |
| RMS Input Power           | 30W                | 25W                | 80W                  | 50W                  |
| Frequency Response        | 30Hz - 17kHz       | 70Hz - 19kHz       | 35Hz - 25kHz         | 40Hz - 25kHz         |
| Sensitivity (dB/W at 1m)  | 82dB               | 89dB               | 91dB                 | 89dB                 |
| Nominal Impedance         | 4 ohms             | 4 ohms             | 4 ohms               | 4 ohms               |
| Tweeter Design            | 25mm Balanced Dome | 25mm Balanced Dome | 66mm Cone (Midrange) | 52mm Cone (Midrange) |
| Woofer Magnet Composition | Ferrite            | Ferrite            | Ferrite              | Ferrite              |
| Mounting Depth            | 65.5mm             | 46mm               | 80.5mm               | 57mm                 |





## DR Subwoofers



**CW-DRA8**  
20cm Powered Subwoofer

### Wired Remote Control



### Heat Resistant Parts

Each part used is heat resistant to realize high durability.



Compact Size for Installation in Various Places

| Tech-Spec                   | CW-DRA8                  |
|-----------------------------|--------------------------|
| Woofer Size                 | 20cm                     |
| Maximum Power               | 250W                     |
| RMS Power                   | 150W                     |
| Low Pass Filter (on Remote) | 50Hz - 125Hz (-12dB/oct) |
| Gain Control (on Remote)    | Yes                      |
| Phase Control (on Remote)   | 0°/180°                  |
| RCA Input                   | Yes                      |
| Speaker Level Input         | Yes                      |
| Signal Sensing Turn on      | Yes                      |
| Dimensions W x D x H (mm)   | 350 x 240 x 75           |

| Tech-Spec                 | CW-DR120      |
|---------------------------|---------------|
| Woofer Size               | 30cm          |
| Peak Input Power          | 1800W         |
| RMS Input Power           | 300W          |
| Frequency Response        | 25Hz - 2500Hz |
| Sensitivity (dB/W at 1m)  | 87.5dB        |
| Nominal Impedance         | 4 ohms        |
| Woofer Magnet Composition | Ferrite       |
| Mounting Depth            | 136.6mm       |

## Boost Sound Quality & Output

Stable, tough power supply for natural sound reproduction across the full range of volume.

## DR Amplifiers



**KS-DR3004**  
4ch Amplifier



### Large Toroidal Transformer

High density and low flux leakage improves conversion efficiency of the power and produces natural and powerful sound through the full range of volume.



### MOS-FET for Responsive Operation

The high current transistor ensures fast, efficient power transfer for responsive operation and improves the sound linearity.

| Tech-Spec                       | KS-DR3001D              | KS-DR3004        | KS-DR3005D                              |
|---------------------------------|-------------------------|------------------|---|
| Amplifier Type                  | Class D                 | Class AB         | Class D                                 |
| Maximum Power Output            | 800W                    | 800W             | 1000W                                   |
| RMS Power at 4 ohms             | 250W x 1ch              | 60W x 4ch        | 50W x 4ch + 200W                        |
| RMS Power at 2 ohms             | 400W x 1ch              | 90W x 4ch        | 65W x 4ch + 300W                        |
| Bridged at 4 ohms               | —                       | 180W x 2ch       | 130W x 2ch                              |
| Frequency Response (+0dB, -3dB) | 20Hz - 200kHz           | 5Hz - 50kHz      | (4ch) 5Hz - 30kHz / (Mono) 20Hz - 200Hz |
| High Pass Filter                | —                       | 120Hz, -12dB/oct | (4ch) 50Hz - 200Hz, -12dB/oct           |
| Low Pass Filter                 | 50Hz - 200Hz, -18dB/oct | 80Hz, -12dB/oct  | (Mono) 50Hz - 200Hz, -18dB/oct          |
| Speaker Level Input             | Yes                     | Yes              | Yes                                     |
| Dimensions W x D x H (mm)       | 227 x 185 x 52          | 322 x 185 x 52   | 340 x 185 x 52                          |